Stordalen Mire Bibliography

Papers about or with measurements within the Mire or where those measurements contributed substantially to the paper. Always looking to expand and improve the bibliography so if you know of appropriate papers (or errors, e.g. broken doi and missing MSc. and Ph.D. theses) please contact **patrick.crill@geo.su.se**

1910
Fries, T. and E. Bergström. 1910. Några iakttagelser övfer palsar och deras förekomst i nordligaste Sverige. Geologiska Föreningens Förhandlingar 32, 195-205.

1912
Andersson, G. & Birger, S. 1912. Den norrländska florans geografiska fördelning och invandringshistoria med särskild hänsyn till dess sydskandinaviska arter. Norrländskt Handbibliotek 5: 416 pp Uppsala.

1946
Schytt, V. 1946. Namnformerna på den nya turistkartan över området Abisko-Riksgränsen. Till Fjälls 18: 66-68.

1950
Du Rietz, G.E. 1950. Phytogeographical Excursion to the Surroundings of Lake Torneträsk in Torne Lappmark (Northern Sweden) July 2l - August 2, 1950. Seventh Int. Bot. Congress, Sthlm 1950. Excursion Guides, C III c, Section: PHG: 19 pp Uppsala.

1951
Avery, G.S. Jr. 1951. Lappland - Magnificent and Strangely Interesting. Brooklyn Botanic Garden Record. Plants & Gardens. New Series 7(2): 76-83.

1952
Hedberg, O. 1952. Vegetation. In: Botanical investigations in the Pältsa region of northernmost Sweden. Chapter 3. Botaniska Notiser 3(2): 45-73. Lund.

1961
Persson, Å. 1961. Mire and spring vegetation in an area North of Lake Torneträsk. I. Description of vegetation. Opera Botanica 6(1): 1-187.

1962
Persson, Å. 1962. Mire and spring vegetation in an area North of Lake Torneträsk. II. Habitat conditions. Opera Botanica 6(3): 1-100.

1965
Forsgren, B. 1965. Några palsmyrar i Torne lappmark ur ekologisk och floristisk synpunkt. Univ. Stockholm, Department of Botany, 164 pp Stockholm.

1967
Sonesson, M. 1967. Studies on mire vegetation in the Torneträsk area, northern Sweden. I. Regional aspects. Botaniska Notiser 120: 272-296.

1968
Sonesson, M. 1968. Pollen zones at Abisko, Torne lappmark, Sweden. Botaniska Notiser 121: 491-500.

1969
Sonesson, M. 1969. Studies on mire vegetation in the Torneträsk area, northern Sweden. II. Winter conditions of the poor mire. Botaniska Notiser 122: 481-511.

1970
Bergman, H., Jonsson, S., Rosswall, T. & Sonesson, M. 1970. The Swedish Tundra Biome Project. A presentation. Swedish IBP Tundra Biome Project, Technical Report 1: 19 pp Lund

Sonesson, M. 1970. Studies on mire vegetation in the Torneträsk area, northern Sweden. IV. Some habitat conditions of the poor mire. *Botaniska Notiser* 123: 67-111.

Sonesson, M. 1970. Studies on mire vegetation in the Torneträsk area, Northern Sweden. III. Communities of the poor mire. *Opera Botanica* 26: 120 pp.

Sonesson, M. 1970. Ecologic Studies on poor Mire Vegetation in the Torneträsk Area, Northern Sweden. PhD thesis, Univ. Lund, Lund, Sweden, 6 pp. (A)

1972
Rosswall, T. and Berg, B. 1972. Decomposition of cellulose in laboratory pot experiments. In: Sonesson, M. (Ed.) Internationa. Biol. Progr. Tech. Rep. No. 14:142 153.

Schuer, H. & Modig, P.-H. 1972. Växtkemiska studier. Stordalen, augusti (1972). Univ. Lund, Dept. of Plant Ecology. 20 p-arbete., 15 pp Lund.

1973
Basilier, K. 1973. Investigations on nitrogen fixation in moss communities. Swedish IBP Tundra Biome Project, Technical Report 16: 83-95.

Clarholm, M. & Rosswall, T. 1973. A comparison of bacterial populations from four different tundra sites by means of a multi-point technique. Swedish IBP Tundra Biome Project, Technical Report 10: 32 pp Uppsala.

Granhall, U. and Selander, H. 1973. Nitrogen fixation in a subarctic mire. *Oikos* 24: 8-15.

Hayes, A.J. 1973. Studies in the microfungi occurring at Stordalen and Njulla, 1972. Swedish IBP Tundra Biome Project, Technical Report 15: 22 pp.

Rydén, B.E. 1973. Radiant energy and water temperature in relation to bryophyte growth within a tundra mire. Proc. of the 24th Alaskan Science Conference Climate of the Arctic, Alaska 1973: 6 pp Uppsala.

1974
Clarholm, M. 1974. Direct counts of bacteria in tundra peat for estimating generation time and biomass production. Swedish IBP Tundra Biome Project, Technical Report 16: 43-56.

Johansson, L. -G. 1974. Photosynthetic rates of some vascular plants on a subarctic mire at Stordalen. Swedish IBP Tundra Biome Project, Technical Report 16: 145-156. Lund.

Johansson, L. -G. 1974. The distribution and fate of 14C photoassimilates. Swedish IBP Tundra Biome Project, Technical Report 16: 165-172. Lund.

Johansson, L. -G. 1974. Chlorophyll content of four species of vascular plant at Stordalen. Swedish IBP Tundra Biome Project, Technical Report 16: 157-164 Lund.

Madsen, I.-L. & Widell, S. 1974. A vegetation map of the Stordalen site. Swedish IBP Tundra Biome Project, Technical Report 16: 3-15. Lund.

Rheinberg, P. 1974. Microfungal studies at Stordalen and Njulla 1973 - A summary. Swedish IBP Tundra Biome Project, Technical Report 16: 81-82.

Rosswall, T. 1974. Decomposition of plant litter at Stordalen. Swedish IBP Tundra Biome Project, Technical Report 16: 207-212.

Rosswall, T., Berg, B. & Lundkvist, H. 1974. Use of cellulose in field decomposition experiments. Swedish IBP Tundra Biome Project, Technical Report 16: 109-122.

Rosswall, T. & Geidnert, S. 1974. The influence of temperature and moisture on nitrogen mineralisation in peat. Swedish IBP Tundra Biome Project, Technical Report 16: 35-42.

Rosswall, T. & Svensson, B.H. 1974. Chemolithotrophic and photosynthetic bacteria at Stordalen. Swedish IBP Tundra Biome Project, Technical Report 16: 73-80 Lund.

Rydén, B.E. 1974. Bryophyte growth on a tundra mire in relation to radiant energy and water temperature. Swedish IBP Tundra Biome Project, Technical Report 16: 173-184.

Rydén, B.E. 1974. Abiotic studies, Stordalen 1973. Swedish IBP Tundra Biome Project, Technical Report 16: 185-202.

Sonesson, M. 1974. Late Quaternary forest development of the Torneträsk area, North Sweden. 2. Pollen analytical evidence. *Oikos* 25: 288-307.

Sonesson, M. & Johansson, S. 1974. Bryophyte Growth, Stordalen 1973. Swedish IBP Tundra Biome Project, Technical Report 16: 17-28.

Svensson, B.H. 1974. Production of methane and carbon dioxide from a subarctic mire. Swedish IBP Tundra Biome Project, Technical Report 16: 123-144 Lund.

1975

Hinneri, S., Sonesson, M. & Veum, A.K. 1975. Soils of Fennoscandian IBP Tundra Ecosystems. *Ecological Studies* 16(1): 31-40.

Rosswall, T., Flower-Ellis, J.G.K., Johansson, L. -G., Jonsson, S., Rydén, B.E. & Sonesson, M. 1975. Stordalen (Abisko), Sweden. *Ecological Bulletins* 20: 265-294. https://www.jstor.org/stable/45331782

Rosswall, T. & Heal, O.W. (Eds). 1975. Structure and function of tundra ecosystems. Papers presented at the IBP Tundra Biome V. Int Meeting in Biological Productivity of Tundra, Abisko, Sweden. *Ecological Bulletins* 20: 450 pp.

Svensson, B.H., Veum, A.K. & Kjelvik, S. 1975. Carbon losses from tundra soils. In: Wielgolaski, F.E. (Ed) Fennoscandian Tundra Ecosystems. Ecological Studies 16: 279-286.

1976

Svensson, B.H. 1976. Methane Production in Tundra Peat. In: Microbial production and utilization of gases. Akademie der Wissenschaften zu Göttingen 1976: 135-139 Göttingen

1977

Klemedtsson, L., Svensson, B.H., Lindberg, T. & Rosswall, T. 1977. The use of acetylene inhibition of nitrous oxide reductase in quantifying denitrification. *Swedish Journal of Agricultureal Research* 7: 179-185.

Rydén, B.E. & Kostov, L. 1977. Ground water and the water- frost cycle in a tundra mire. *Striae* 4: 17-19.

1978
Basilier, K., Granhall, U. and Stenstrom, T.-A. 1978. Nitrogen fixation in wet minerotrophic moss communities of a subarctic mire. *Oikos* 31: 236-246.

1979
Sonesson, M. 1979. Abisko Scientific Research Station: Environment and Research. *Holarctic Ecology* 2: 279-283.

1980
Johansson, L. –G and S. Linder. 1980. Photosynthesis of Sphagnum in different microhabitats on a subarctic mire. *Ecological Bulletins* 30: 181-190.

Kvillner, E. & Sonesson, M. 1980. Plant distribution and environment of a subarctic mire. *Ecological Bulletins* 30: 97-111.

Malmer, N. & Nihlgård, B. 1980. Supply and transport of mineral nutrients in a subarctic mire. *Ecological Bulletins* 30: 63-95.

Rosswall, T. & Granhall, U. 1980. Nitrogen cycling in a subarctic ombrotrophic mire. *Ecological Bulletins* 30: 209-234. http://www.jstor.com/stable/20112774

Sonesson, M. (Ed.). 1980. Ecology of a Subarctic Mire. *Ecological Bulletins* 30: 313 pp.

Sonesson, M. 1980. Klimatet och skogsgränsen i Abisko. *Fauna och flora* 75(1): 8-11.

Sonesson, M. & Bergman, H. 1980. Area-harvesting as a method of estimating phytomass changes in a tundra mire. *Ecological Bulleti*ns 30: 127-137.

Sonesson, M., Jonsson, S., Rosswall, T. & Rydén, B.E. 1980. The Swedish IBP/PT Tundra Biome Project. Objectives - planning - site. *Ecological Bulletins* 30: 7-25.

Sonesson, M. & Kvillner, E. 1980. Plant communities of the Stordalen mire - A comparison between numerical and non-numerical classification methods. *Ecological Bulletins* 30: 113-125.

Sonesson, M., Persson, S., Basilier, K. & Stenström, T.-A. 1980. Growth of *Sphagnum riparium* Ångstr. in relation to some environmental factors in the Stordalen mire. *Ecological Bulletins* 30: 191-207.

Svensson, B.H. 1980. Energy flow through the subarctic mire at Stordalen. *Ecological Bulletins* 30: 283-302.

Rydén, B.E. & Kostov, L. 1980. Thawing and freezing in tundra soils. *Ecological Bulletins* 30: 251-281.

Rydén, B.E., Kostov, L. & Fors, L. 1980. Physical properties of the tundra soil-water system at Stordalen, Abisko. *Ecological Bulletins* 30: 27-54.

Rydén, B.E. 1980. Climatic representativeness of a project period - epilogue of a tundra study. *Ecological Bulletins* 30: 55-62.

Svensson, B.H. 1980. Carbon dioxide and methane fluxes from the ombrotrophic parts of a

Subarctic mire. *Ecological Bulletins* 30: 235-250.

1981
Karlsson, P.S. & Sveinbjörnsson, B. 1981. Methodological comparison of photosynthetic rates measured by the 14CO2 technique or infrared gas analysis. *Photosynthetica* 15(4): 447-452.

1984
Malmer, N. & Holm, E. 1984. Variation in the C/N-quotient of peat in relation to decomposition rate and age determination with ^{210}Pb. *Oikos* 43(2): 171-182.

Svensson, B.H. 1984. Different temperature optima for methane formation when enrichments from acid peat are supplemented with acetate or hydrogen. *Applied and Environmental Microbiology* 48(2): 389-394.

Svensson, B.H. & Rosswall, T. 1984. In situ methane production from acid peat in plant communities with different moisture regimes in a subarctic mire. *Oikos* 43:341-350.

1986
Malmer, N. & Wallén, B. 1986. Inorganic elements above and below ground in dwarf shrubs on a subarctic peat bog. *Oikos* 46(2): 200-206.

Wallén, B. 1986. Above and below ground dry mass of the three main vascular plants on hummocks on a subarctic peat bog. *Oikos* 46(1): 51-56.

1988
Malmer, N. 1988. Patterns in the growth and the accumulation of inorganic constituents in the Sphagnum cover on ombrotrophic bogs in Scandinavia. *Oikos* 53(1): 105-120.

1992
Aerts, R., Wallén, B. & Malmer, N. 1992. Growth- limiting nutrients in Sphagnum-dominated bogs subject to low and high atmospheric nitrogen supply. *Journal of Ecology* 80(1): 131-140.

Sonesson, M., Gehrke, C. & Tjus, M. 1992. CO2 environment, microclimate and photosynthetic characteristics of the moss *Hylocomium splendens* in a subarctic habitat. *Oecologia* 92: 23-29.

Wallén, B. 1992. Methods for studying below-ground production in mire ecosystems. *Suo* 43(4-5): 155-162.

1996
Berglund, B.E., Barnekow, L., Hammarlund, D., Sandgren, P. & Snowball, I.F. 1996. Holocene forest dynamics and climate change in the Abisko area, northern Sweden - the Sonesson model of vegetation history reconsidered and confirmed. *Ecological Bulletins* 45: 15-30.

Jonasson, S., Lee, J.A., Callaghan, T.V., Havström, M. & Parsons, A.N. 1996. Direct and indirect effects of increasing temperatures on subarctic ecosystems. *Ecological Bulletins* 45: 180-191.

Jonasson, S. & Michelsen, A. 1996. Nutrient cycling in subarctic and arctic ecosystems, with special reference to the Abisko and Torneträsk region. *Ecological Bulletins* 45: 45-52.

Karlsson, P.S. & Callaghan, T.V. (Eds). 1996. Plant ecology in the subarctic Swedish Lapland. *Ecological Bulleti*ns 45, 227 pp.

Malmer, N. & Wallén, B. 1996. Peat formation and mass balance in subarctic ombrotrophic peatlands around Abisko, northern Scandinavia. *Ecological Bulletins* 45: 79-92.

1998
Christensen, T.R., Jonasson, S., Michelsen, A., Havström, M. & Callaghan, T.V. 1998. Environmental controls on soil respiration in the Eurasian and Greenlandic Arctic. *Journal of Geophysical Research* 103: 15-29.

Dahlberg, U., Bergstedt, J. & Pettersson, A. 1998. Fältinstruktion för, och erfarenhet från vegetationsinventering i Abisko, sommaren 1997. Sveriges Lantbruksuniversitet, Umeå, Arbetsrapport 32: 37s.

1999
Christensen, T.R. 1999. Potential and actual trace gas fluxes in Arctic terrestrial ecosystems. *Polar Research* 18(2): 199-206.

Shaver, G.R. & Jonasson, S. 1999. Response of Arctic ecosystems to climate change: results of long-term field experiments in Sweden and Alaska. *Polar Research* 18(2): 245-252.

Svensson, B.H., Christensen, T.R., Johansson, E. & Öquist, M. 1999. Interdecadal changes in CO2 and CH4 fluxes of a subarctic mire: Stordalen revisited after 20 years. *Oikos* 85(1): 22-30.

2001
Aerts, R., Wallén, B., Malmer, N. & Caluwe, H.de. 2001. Nutritional constraints on Sphagnum growth and potential decay in northern peatlands. *Journal of Ecology* 89 (2): 292-299.

2002
Christensen, T.R., Lloyd, D., Svensson, B., Martikainen, P.J., Harding, R., Oskarsson, H., Friborg, T., Soegaard, H. & Panikov, N. 2002. Biogenic controls on trace gas fluxes in northern wetlands. *Global Change NewsLetter* 51: 9-11, 14-15.

Sonesson, M., Carlsson, B.Å., Callaghan, T.V., Halling, S., Björn, L.O., Bertgren, M. & Johanson, U. 2002. Growth of two peat- forming mosses in subarctic mires: species interactions and effects of simulated climate change. *Oikos* 99 (1): 151-160.

Öquist, M. G., and B. H. Svensson, 2002. Vascular plants as regulators of methane emissions from a subarctic mire ecosystem, *Journal of Geophysical Research*, 107(D21), 4580, doi:10.1029/2001JD001030.

2004
Christensen, T.R., Johansson, T., Åkerman, H.J., Mastepanov, M., Malmer, N., Friborg, T., Crill, P. & Svensson, B.H. 2004. Thawing sub-arctic permafrost: Effects on vegetation and methane emissions. *Geophysical Research Letters*, Vol 31(60): 1-4

Olsrud, M. 2004. Mechanisms of below-ground carbon cycling in subarctic ecosystems. PhD-thesis. GeoBiosphere Science Centre. Physical Geography and Ecosystems Analysis. Lund University, Sweden. Meddelanden från Lunds Universitets Geografiska Institutioner. Avhandlingar. Nr 155. 36pp

Olsrud, M. & Christensen, T.R. 2004. Carbon cycling in subarctic tundra: seasonal variation in ecosystem partitioning based on in situ 14C pulse-labelling. *Soil Biology and Biochemistry* 36: 245-253

Olsrud, M., Melillo, J.M., Christensen, T.R., Michelsen, A., Wallander, H. & Olsson, P.A. 2004. Response of ericoid mycorrhizal colonization and functioning to global change factors. *New Phytologist* 162: 459-469

Ström, L. & Christensen, T. R. 2004. Myrens växter styr växthuseffekten. *Svensk Botanisk Tidskrift* 98 (6): 313-316

2005

Malmer, N., Johansson, T., Olsrud, M. & Christensen, T.R. 2005. Vegetation, climate changes and net carbon sequestration in a North-Scandinavian subarctic mire over 30 years. *Global Change Biology* 11: 1895-1909

2006

Johansson, M., Christensen, T.R., Akerman, H.J. & Callaghan, T.V. 2006. What Determines the Current Presence or Absence of Permafrost in the Torneträsk Region, a Sub-arctic Landscape in Northern Sweden? *Ambio* 35(4): 190-197

Johansson, T. 2006. Temporal and spatial variability of carbon cycling in a subarctic landscape. PhD thesis. Geobiosfärvetenskap inriktning naturgeografi och ekosystemanalys. Meddelanden från Lunds universitets geografiska institution. Avhandlingar 166. Lund. 29pp

Johansson, T., Malmer, N., Crill, P.M., Friborg, Th., Åkerman, J.H., Mastepanov, M. & Christensen, T.R. 2006. Decadal vegetation changes in a northern peatland, green-house gas fluxes and net radiation forcing. *Global Change Biology* 12(12): 2352-2369

2007

Christensen, T.R. & Johansson, T. 2007. Stordalen: Vetenskapshistorisk lokal. *Miljö-forskning* 1: 32-33

Christensen, T.R., Johansson, T., Olsrud, M., Ström, L., Lindroth, A., Mastepanov, M. Malmer, N., Friborg, T., Crill, P. & Callaghan, T.V. 2007. A catchment-scale carbon and greenhouse gas budget of a subarctic landscape. *Philosophical Transactions of the Royal Society A*. 365: 1643-1656

Ström, L. & Christensen, T.R. 2007. Below ground carbon turnover and greenhouse gas exchanges in a sub-arctic wetland. *Soil Biology and Biochemistry* 39: 1689-1698

2008

Bäckstrand, K. 2008. Carbon gas biogeochemistry of a northern peatland - in a dynamic permafrost landscape. PhD Thesis. Meddelanden från Stockholms universitets institution för geologi och geokemi. No. 333. 32pp

Bäckstrand. K. 2008. A Review: Fifty years of research at the subarctic Stordalen mire, northern Sweden. Manuscript. In: Bäckstrand, K. 2008. Carbon gas biogeochemistry of a northern peatland - in a dynamic permafrost landscape. PhD Thesis. Department of Geology and geochemistry, Stockholm University. 13pp

Bäckstrand, K., Crill, P.M., Mastepanov, M., Christensen, T.R. & Bastviken, D. 2008. Non-methane volatile organic compound flux from a subarctic mire in Northern Sweden. *Tellus B* 60(2): 226-237

Bäckstrand, K., Crill, P.M., Mastepanov, M., Christensen, T.R. & Bastviken, D. 2008. Total hydrocarbon flux dynamics at a subarctic mire in northern Sweden. *Journal of Geophysical Research* 113, G03026, doi:10.1029/2008JG000703. 16pp

Klaminder, J., Yoo, K., Rydberg, J. & Gielser, R. 2008. An explorative study of mercury export from a thawing palsa mire. *Journal of Geophysical Research* 113, G04034, doi: 10.1029/2008JG000776

Petrescu, A.M. R.J. van Huissteden, M. Jackowicz-Korczynski, A. Yurova, T.R. Christensen, P.M. Crill, K. Bäckstrand and T.C. Maximov (2008). Modelling CH_4 emissions from arctic wetlands: effects of hydrological parameterization. *Biogeosciences, 5*: 111–121.

Åkerman, H.J. & Johansson, M. 2008. Thawing permafrost and thicker active layers in Sub-arctic Sweden. *Permafrost and Periglacial Processes* 19(3): 279-292, doi:10.1002/ppp.626

2009

Aerts, R. 2009. Nitrogen supply effects on leaf dynamics and nutrient input into the soil of plant species in a sub-arctic tundra ecosystem. *Polar Biology* (2009) 32:207–214. Doi: 10.1007/s00300-008-0521-1

Christensen, T.R., Johansson, T., Olsrud, M., Ström, L., Lindroth, A., Mastepanov, M. Malmer, N., Friborg, Th., Crill, P.M. and Callaghan, T.V. 2009. A catchment scale process study of carbon and greenhouse gas exchange in a subarctic landscape. In: Fronzek, S., Johansson, M., Christensen, T.R., Carter, T.R., Friborg, Th. & Luoto, M. (eds). Climate change impacts on subarctic palsa mires and greenhouse gas feedbacks. Proceedings of the PALSALARM symposium Abisko, Sweden 28-30 October 2008. Reports of Finnish Environment Institute 3: 41-43

Crill, P. 2009. Fluxes and budgets, GHG feedbacks of palsa mires. In: Fronzek, S., Johansson, M., Christensen, T.R., Carter, T.R., Friborg, Th. & Luoto, M. (eds) Climate change impacts on sub-arctic palsa mires and greenhouse gas feedbacks. Proceedings of the PALSALARM symposium Abisko, Sweden 28-30 October 2008. Reports of Finnish Environment Institute 3: 27-29

Friborg, Th., Johansson, T., Jackowicz-Korczynski, M., Christensen, T.R. & Crill, P.M. 2009. Palsa-mires - CO2 exchange from Stordalen mire. In: Fronzek, S., Johansson, M., Christensen, T.R., Carter, T.R., Friborg, Th. & Luoto, M. (eds.). Climate change impacts on sub-arctic palsa mires and greenhouse gas feedbacks. Proceedings of the PALSALARM symposium. Abisko, Sweden 28-30 October 2008. Reports of Finnish Environment Institute 3: 36-40

Friedman, B., Herich, H., Kammermann, L., Gross, D.S., Arneth, A., Holst, T. & Cziczo, D.J. 2009. Subarctic atmospheric aerosol composition: 1. Ambient aerosol characterization. Journal of Geophysical Research 114, D13203, ddoi. 10.1029/2009JD011772, 2009

Fronzek, S., Johansson, M., Christensen, T.R., Carter, T.R., Friborg, Th. & Luoto, M. (eds.). 2009. Climate change impacts on sub-arctic palsa mires and greenhouse gas feedbacks. Proceedings of the PALSALARM symposium. Abisko, Sweden 28-30 October 2008. Reports of Finnish Environment Institute. 3. 74pp

Hammarlund, D. & Kokfelt, U. 2009. A Holocene perspective on palsa mires in northern Fennoscandia with particular focus on Stordalen. In: Fronzek, S., Johansson, M., Christensen, T.R., Carter, T.R., Friborg, Th. & Luoto, M. (eds.). Climate change impacts on sub-arctic palsa mires and greenhouse gas feedbacks. Proceedings of the PALSALARM symposium. Abisko, Sweden 28-30 October 2008. Reports of Finnish Environment Institute 3: 53-55

Jackowicz-Korczynski, M. 2009. Land-atmosphere interactions of a subarctic palsa mire. PhD Thesis. GeoBiosphere Science Centre. Department of Physical Geography and Ecosystems Analysis. Lund University. Meddelanden från Lunds universitets geografiska institution. Avhandling 184. 21pp doi: https://www.lunduniversity.lu.se/lup/publication/5cbfba83-b313-46f6-a91e-586e0c33268f

Jackowicz-Korczynski, M., Christensen, T.R., Friborg, Th., Crill, P.M. & Ström, L. 2009. CH4 exchange over Stordalen mire by EC technique. In: Fronzek, S., Johansson, M., Christensen, T.R., Carter, T.R., Friborg, Th. & Luoto, M. (eds.). Climate change impacts on sub-arctic palsa mires and greenhouse gas feedbacks. Proceedings of the PALSALARM symposium. Abisko, Sweden 28-30 October 2008. Reports of Finnish Environment 3:32-35

Johansson, M. 2009. Changing lowland permafrost in northern Sweden: Multiple drivers of past and future changes. PhD Thesis. Geobiosphere Science Centre. Department of Physical Geography and Ecosystem Analysis. Lund University. Meddelanden från Lunds Universitets Geografiska Institution. Avhandlingar 180. 34pp doi: http://portal.research.lu.se/ws/files/5252499/1288755.pdf

Kokfelt, U. 2009. Subarctic ecosystem responses to climate, catchment and permafrost dynamics in the Holocene. LUNDQUA Thesis 62. Quaternary Sciences. Department of Geology. GeoBiosphere Science Centre. Lund University. 26pp http://portal.research.lu.se/ws/files/4066937/3162733.pdf

Kokfelt, U., Rosén, P., Schoning, K, Christensen, T.R., Förster, J., Karlsson, J., Reuss, N., Rundgren, M., Callaghan, T.V., Jonasson, Ch., & Hammarlund, D. 2009. Ecosystem responses to increased precipitation and permafrost decay in subarctic Sweden inferred from peat and lake sediments. *Global Change Biology* 15(7): 1652-1663, doi:10.1111/j.1365-2486.2009.01880.x.

Kokfelt, U., Struyf, E. & Randsalu, L. 2009. Diatoms in peat - Dominant producers in a changing environment? Short communication. *Soil Biology and Biochemistry* 41: 1764-1766

Olsrud, M. & Michelsen, A. 2009. Effects of shading on photosynthesis, plant organic nitrogen uptake, and root fungal colonization in a subarctic mire ecosystem. *Botany* 87: 463-474. https://doi.org/10.1139/B09-021

Roehm CL, Giesler R, Karlsson J (2009) Bioavailability of terrestrial organic carbon to lake bacteria: the case of a degrading high-latitude boreal and Arctic permafrost mire complex. *Journal of Geophysical Research* 114. Art No G03006

Stark, H. 2009. Isoprene (C5H8) emission dynamics of a sub-arctic mire landscape and the influence of site, vegetation, net carbon dioxide (CO2) exchange, and microeteorology. Diplomarbeit. Inst. für Bodenkunde und Standortslehre. Fakultät Forst-, Geo- & Hydrowissenschaften. Technische Universität Dresden. 109pp

2010

Bäckstrand, K., P.M. Crill, M. Jackowicz-Korczynski, M. Mastepanov, T.R. Christensen and D. Bastviken. 2010. Annual carbon gas budget for a subarctic peatland, Northern Sweden. *Biogeosciences*, 7, 95-108. Doi: https://doi.org/10.5194/bg-7-95-2010

Callaghan, T. V., Bergholm, F., Christensen, T. R., Jonasson, C., Kokfelt, U., & Johansson, M. (2010). A new climate era in the sub-Arctic: Accelerating climate changes and multiple impacts. *Geophysical Research Letters*, 37, doi: https://doi.org/10.1029/2009GL042064

Faubert, P., Tiiva, P., Rinnan, Å., Michelsen, A., Holopainen, J.K. & Rinnan, R. 2010. Doubled volatile organic compound emissions from subarctic tundra under simulated climate warming. *New Phytologist* 187: 199-208. http://dx.doi.org/10.1111/j.1469-8137.2010.03270.x

Gavazov, K.S., N.A. Soudzilovskaia, R. S. P. van Logtestijn, M. Braster and J. H. C. Cornelissen 2010. Isotopic analysis of cyanobacterial nitrogen fixation associated with subarctic lichen and bryophyte species. *Plant and Soil* 333:507–517, doi: 10.1007/s11104-010-0374-6

Holst, T., Arneth, A., Hayward, S., Ekberg, A., Mastepanov, M., Jackowicz-Korczynski, M., Friborg, T., Crill,P.M. & Bäckstrand, K. 2010. BVOC ecosystemflux measurements at a high latitude wetland site. *Atmospheric Chemistry and Physics* 10: 1617-1634

Jackowicz-Korczynski, M., Christensen, T.R., Bäckstrand, K., Crill, P., Friborg, T., Mastepanov, M. & Ström, L. 2010. Annual cycle of methane emission from a subarctic peatland. *Journal of Geophysical Research*, 115, G02009, doi:10.1029/2008JG000913. 10pp

Karlsson, J., Christensen, T.R., Crill, P., Förster, J., Hammarlund, D., Jackowicz-Korczynski, M., Kokfelt, U., Roehm, C. & Rosén, P. 2010. Quantifying the relative importance of lake emissions in the carbon budget of a subarctic catchment. *Journal of Geophysical Research* Vol 115, G03006, doi: 10.1029/2010JG001305, 2010

Klaminder, J., D. Hammarlund, U. Kokfelt, J.E. Vonk and C. Bigler. 2010. Lead Contamination of Subarctic Lakes and Its Response to Reduced Atmospheric Fallout: Can the Recovery Process Be Counteracted by the Ongoing Climate Change? *Environmental Science and Technology* 44, 2335–2340. Doi: 10.1021/es903025z

Kokfelt, U., Reuss, N., Struyf, E., Sonesson, M., Rundgren, M., Skog, G., Rosén, P. & Hammarlund, D. 2010. Wetland development, permafrost history and nutrient cycling inferred from late Holocene peat and lake sediment records in subarctic Sweden. *Journal of Paleolimnology*. 44: 327-342

Rydberg, J., Klaminder, J., Rosén, P. & Bindler, R. 2010. Climate driven release of carbon and mercury from permafrost mires increases mercury loading to sub-arctic lakes. *Science of the Total Environment* 408: 4778-4783

2011

Alewell, C., R. Giesler, J. Klaminder, J. Leifeld and M. Rollog (2011). Stable carbon isotopes as indicators for environmental change in palsa peats. *Biogeosciences*, 8: 1769–1778, doi: 10.5194/bg-8-1769-2011

Bastviken, D., L.J. Tranvik, J.A. Downing, P.M. Crill and A. Enrich-Prast (2011). Freshwater methane emissions offset the continental carbon sink. *Science*, 311: 50.

Olefeldt, D. (2011). Quantity and composition of waterborne carbon transport in subarctic catchments containing peatlands and permafrost. PhD thesis, Department of Geography, McGill University, Montréal, Canada. https://escholarship.mcgill.ca/concern/theses/qz20sx992

Wik, M., Crill, P.M., Bastviken, D., Danielsson, Å. & Norbäck, E. 2011. Bubbles trapped in arctic lake ice: Potential inplications for methane emissions. *Journal of Geophysical Research-Biogeosciences*, Vol.116, G03044, doi:10.1029/2011JG001761

2012

Boereboom, T. M. Depoorter, S. Coppens and J.-L. Tison, 2012. Gas properties of winter lake ice in Northern Sweden: implication for carbon gas release. *Biogeosciences*, 9, 827–838, doi:10.5194/bg-9-827-2012,

Christensen, T.R., Jackowicz-Korczynski, M., Aurela, M., Crill, P., Heliasz, M., Mastepanov, M. & Friborg, T. 2012. Monitoring the Multi-Year Carbon Balance of a Subarctic Palsa Mire with Micrometeorological Techniques. *Ambio* 41 (Supplementum 3): 207-217. DOI: 10.1007/s13280-012-0302-5

Hasan A., Pilesjö P., and Persson A. (2012): On generating digital elevation models from liDAR data-resolution versus accuracy and topographic wetness index indices in northern peatlands. *Geodesy and Cartography*, 38(2):57-69, doi:10.3846/20296991.2012.702983

Jonasson, C., Sonesson, M., Christensen, T. R., & Callaghan, T. V. (2012). Environmental monitoring and research in the Abisko area—an overview. *Ambio*, 41, 178–186. https://doi.org/10.1007/s13280-012-0301-6

Lupascu M., Wadham J.L., Hornibrook E.R.C., and Pancost R.D. (2012): Temperature sensitivity of methane production in the permafrost active layer at Stordalen, Sweden: A comparison with non-permafrost northern wetlands. *Arctic, Antarctic, and Alpine Research*, 44:469-482

Olefeldt, D. & Roulet, N.T. 2012. Effects of permafrost and hydrology on the composition and transport of dissolved organic carbon in a subarctic peatland complex. *Journal of Geophysical Research* 117, G01005, 15pp. doi:10.1029/2011JG001819, 2012

Olefeldt, D., Roulet, N.T., Bergeron, O., Crill, P., Bäckstrand, K. & Christensen, T.R. 2012. Net carbon accumulation of a high-latitude permafrost palsa mire similar to permafrost-free peatlands. *Geophysical Research Letters* 39, L03501, 6pp doi:10.1029/2011GL050355, 2012

Olefeldt, D., Roulet, N.T., Giesler, R. & Persson, A. 2012. Total waterborne carbon export and DOC composition from ten nested subarctic peatland catchments - importance of peatland cover, groundwater influence, and inter-annnual variability of precipitation patterns. *Hydrological Processes* (2012), 15pp. DOI:10.1002/hyp.9358

Olefeldt, D., M.R. Turetsky, P.M. Crill and A.D. McGuire (2012). Environmental and physical controls on northern terrestrial 1 methane emissions across permafrost zones. *Global Change Biology*, doi:10.1111/gcb12071.

Torbick, N., A. Persson, D. Olefeldt, S. Frolking, W. Salas, S. Hagen, P. Crill and C. Li (2012). High Resolution Mapping of Peatland Hydroperiod at a High-Latitude Swedish Mire. *Remote Sensing*, 4. 1974-1992, doi:10.3390/rs4071974

2013

Berg; A., Å. Danielsson and B.H. Svensson. (2013). Transfer of fixed-N from N2-fixing cyanobacteria associated with the moss Sphagnum riparium results in enhanced growth of the moss. *Plant and Soil*, 362:271–278, doi: 10.1007/s11104-012-1278-4

Dengel S., Zona D., Sachs T., Aurela M., Jammet M., Parmentier F.J.W., Oechel W., and Vesala T. (2013): Testing the applicability of neural networks as a gap-filling method using CH4 flux data from high latitude wetlands. *Biogeosciences*, 10:8185-8200, DOI:10.5194/bg-10-8185-2013

Feld, Tobias (2013). Decadal vegetation changes in a subarctic palsa mire. Master's thesis. Faculty of Science, University of Copenhagen, Denmark.

Horst, A, B.F. Thornton, H. Holmstrand, P. Andersson, P.M. Crill and Ö. Gustafsson (2013). Stable bromine isotopic composition of atmospheric CH_3Br. *Tellus B*, doi: 10.3402/tellusb.v65i0.21040

Karlsson, J., R. Giesler, J. Persson, and E. Lundin (2013), High emission of carbon dioxide and methane during ice thaw in high latitude lakes, *Geophysical Research Letters*, 40, doi:10.1002/grl.50152.

Lundin, E.J., R. Giesler, A. Persson, M.S. Thompson and J. Karlsson. 2013. Integrating carbon emissions from lakes and streams in a subarctic catchment, *Journal of Geophysical Research: Biogeosciences* 118, 1200–1207, doi:10.1002/jgrg.20092.

Mortazavi B., Wilson B.J., Dong F., Gupta M., and Baer D. (2013): Validation and application of cavity-enhanced, near-infrared tunable diode laser absorption spectrometry for measurements of methane carbon isotopes at ambient concentrations. *Environmental Science and Technology*, 47(20):11676-11684, DOI:10.1021/es402322x

Olefeldt D., Turetsky M.R., Crill P.M., and McGuire A.D. (2013): Environmental and physical controls on northern terrestrial methane emissions across permafrost zones. *Global Change Biology*, 19:589-603, DOI:10.1111/gcb.12071

Wik, M., Crill, P.M., Varner, R.K. & Bastviken, D. 2013. Multiyear measurements of ebullitive methane flux from three subarctic lakes. *Journal of Geophysical Research: Biogeosciences* 118: 1307-1321, doi: 10.1002/jgrg.20103, 2013

2014

Deng, J., C. Li, S. Frolking, Y. Zhang, K. Bäckstrand and P. Crill (2014). Assessing effects of permafrost thaw on C fluxes based on multiyear modeling across a permafrost thaw gradient at Stordalen, Sweden. *Biogeosciences*, 11: 4753–4770, doi:10.5194/bg-11-4753-2014

Giljum, M. (2014) Object-Based Classification of Vegetation at Stordalen Mire near Abisko by using High-Resolution Aerial Imagery. MSc thesis. Dept of Physical Geography and Ecosystem Science, Lund University. INES nr 323. http://lup.lub.lu.se/student-papers/record/4679307.

Hodgkins, S.B., Tfaily, M.M., McCalley, C.K., Logan, T.A., Crill, P.M., Saleska, S.R., Rich, V.I. & Chanton, J.P. 2014. Changes in peat chemistry associated with permafrost thaw increase green-house gas production. *Proceedings of the National Academy of Sciences (PNAS)* 111: 5819-5824. Doi: 10.1073/pnas.1314641111

Horst, A., Thornton, B.F., Holmstrand, H., Andersson, P., Crill, P.M. & Gustafsson, Ö. (2014). Stable bromine isotopic composition of atmospheric CH3Br. *Tellus B* 65, 21040, doi: 10.3402/tellusb.v65i0.21040

Krüger J.P., Leifeld J., and Alewell, C. (2014). Degradation changes stable carbon isotope depth profiles in palsa peatlands. *Biogeosciences*, 11:3369-3380, DOI:10.5194/bg-11-3369-2014

Lupascu, M., J. L. Wadham, E. R. C. Hornibrook and R. D. Pancost (2014). Methanogen Biomarkers in the Discontinuous Permafrost Zone of Stordalen, Sweden. *Permafrost and Periglacial Processes* 25: 221–232 doi: 10.1002/ppp.1823

McCalley, C., B. Woodcroft, S. Hodgkins, R. Wehr, E. Kim, R. Mondav, P. Crill, J. Chanton, V. Rich, G. Tyson, and S.Saleska (2014). Methane dynamics regulated by microbial community response to permafrost thaw. *Nature*, doi:10.1038/nature13798.

Mondav, R., Woodcroft, B.J., Kim, E.-H., McCalley, C.K., Hodgkins, S.B., Crill, P.M., Chanton, J., Hurst, G.B., VerBerkmoes, N.C., Saleska, S.R., Hugenholtz, P., Rich, V.I.& Tyson, G.W. (2014). Discovery of a novel methanogen prevalent in thawing permafrost. *Nature Communications* 5: 3212, doi: 10.1038/ncomms4212

Turetsky, M.R., A.Kotowska, J. Bubier, N.B. Dise, P.M. Crill, E. Hornibrook, K. Minkinnen, T.R. Moore, I.H. Myers-Smith, H. Nykänen, D.Olefeldt, J. Rinne, S. Saarnio, N. Shurpali, J.M. Waddington, J. White, K. Wickland, M. Wilmking (2014). A synthesis of methane emissions from 71 northern, temperate, and 1 subtropical wetlands. *Global Change Biology* doi: 10.1111/gcb.12580.

Wik, M., Thornton, B.F., Bastviken, D., MacIntyre, S., Varner, R.K., Crill, P.M. 2014. Energy input is primary controller of methane bubbling in subarctic lakes. *Geophysical Research Letters* 41, doi: 10.1002/2013GL058510

Zhu Q., Liu J., Peng C., Chen H., Fang X., Jiang H., Yang G., Zhu D., Wang W., and Zhou X. (2014): Modelling methane emissions from natural wetlands: TRIPLEX-GHG model integration, sensitivity analysis, and calibration. *Geoscientific Model Development*, 7:981-999, DOI:10.5194/gmd-7-981-2014

2015

Hodgkins, S.B., J.P. Chanton, L.C. Langford, C.K. McCalley, S.R. Saleska, V.I. Rich, P.M. Crill, and W.T. Cooper. (2015). Soil incubations reproduce field methane dynamics in a subarctic wetland. *Biogeochemistry*, doi: 10.1007/s10533-015-0142-z

Jammet, M., P. Crill, S. Dengel and T. Friborg (2015). Large methane emissions from a subarctic lake during spring thaw: mechanisms and landscape significance. *Journal of Geophysical Research: Biogeosciences*, 120,2289-2305 doi: 10.1002/2015JG003137.

Malhotra A. and Roulet N. (2015): Environmental correlates of peatland carbon fluxes in a thawing landscape: do transitional thaw stages matter? *Biogeosciences*, 12:3119-3130, DOI:10.5194/bg-12-3119-2015.

Swindles, GT, MJ Amesbury, TE Turner, JL Carrivick, C Woulds, C Raby, D Mullan, TP Roland, JM Galloway, L Parry, U Kokfelt, M Garneau, DJ Charman, and J Holden (2015). Evaluating the use of testate amoebae for palaeohydrological reconstruction in permafrost peatlands. *Palaeogeology Palaeoclimatology Paelaeolecology* 424: 111-122, doi: 10.1016/j.palaeo.2015.02.004.

Tang J., Miller P.A., Crill P.M., Olin S., and Pilesjö P. (2015): Investigating the influence of two different flow routing algorithms on soil-water-vegetation interactions using the dynamic ecosystem model LPJ-GUESS. *Ecohydrology*, 8:568-581, DOI:10.1002/eco.1526

Tang, J., P. A. Miller, A. Persson, D. Olefeldt, P. Pilesjö, M. Heliasz, M. Jackowicz-Korczynski, Z. Yang, B. Smith, T. V. Callaghan and T. R. Christensen. 2015. Carbon budget estimation of a subarctic catchment using a dynamic ecosystem model at high spatial resolution. *Biogeosciences*, 12, 2791-2808, doi.org/10.5194/bg-12-2791-2015.

Thompson, M.S., R. Giesler, J. Karlsson and J. Klaminder (2015) Size and Characteristics of the DOC Pool in Near-Surface Subarctic Mire Permafrost as a Potential Source for Nearby

Freshwaters. *Arctic, Antarctic, and Alpine Research*, 47:1, 49-58, doiI: 10.1657/AAAR0014-010.

Thornton, B.F., M. Wik and P.M. Crill (2015) Climate-forced changes in available energy and methane bubbling from subarctic lakes. *Geophysical Research Letters*. 42: 1936-1942, doi. 10.1002/2015GL063189.

2016

Douglas, P. M. J., D.A.Stolper, K.M. Walter Anthony, C. Paull, S. Dallimore, M. Wik., P.M. Crill, M. Winterdahl, D.A.Smith, A.L. Sessions and J.E.Eiler (2016). svenssonDiverse origins of Arctic and Subarctic methane point source emissions identified with multiply-substituted isotopologues. *Geochimica et Cosmochimica Acta*, doi:10.1016/j.gca.2016.05.031.

Hodgkins, S.B. (2016). Changes in Organic Matter Chemistry and Methanogenesis Due to Permafrost Thaw in a Subarctic Peatland. PhD Thesis. Dept. of Earth, Ocean and Atmospheric Science, Florida State Univeristy, Tallahassee, FL, USA, http://fsu.digital.flvc.org/islandora/object/fsu%3A360372.

Hodgkins, S.B., M. Tfaily, D.C. Podgorski, C.K. McCalley, S.R. Saleska, P.M. Crill, V.I. Rich, J.P. Chanton and W.T. Cooper(2016). Elemental composition and optical properties reveal changes in dissolved organic matter along a permafrost thaw chronosequence in a subarctic peatland. *Geochimica et Cosmochimica Acta*, doi: 10.1016/j.gca.2016.05.015

Kokfelt, U., R. Muscheler, A. Mellström, E. Struyf, M. Rundgren, S. Wastegård and D. Hammarlund (2016). Diatom blooms and associated vegetation shifts in a subarctic peatland: responses to distant volcanic eruptions?. *Journal of Quaternary Science*. 31 doi:10.1002/jqs.2898.

Lundin, E. J., J. Klaminder, R. Giesler, A. Persson, D. Olefeldt, M. Heliasz, T. R. Christensen, and J. Karlsson (2016), Is the subarctic landscape still a carbon sink? Evidence from a detailed catchment balance, *Geophysical Research Letters*, 43, 1988–1995, doi:10.1002/2015GL066970.

Malhotra, A. (2016). Relating self-regulation with ecosystem structure and function in Northern Peatlands. PhD thesis, Department of Geography, McGill University, Canada https://escholarship.mcgill.ca/concern/theses/3r074z002

Pirk, N., M. Mastepanov, F.-J. W. Parmentier, M. Lund, P. Crill and T. R. Christensen (2016). Calculations of automatic chamber flux measurements of methane and carbon dioxide using short time series of concentrations. *Biogeosciences*, 13: 903-912.

Stiegler, C., M. Johansson, T.R. Christensen, M. Mastepanov and A.Lindroth (2016). Tundra permafrost thaw causes significant shifts in energy partitioning, *Tellus B: Chemical and Physical Meteorology*, 68:1, 30467, DOI: 10.3402/tellusb.v68.30467

Thornton B.F., Wik M., and Crill P.M. (2016): Double-counting: a challenge to the accuracy of high-latitude methane inventories. *Geophysical Research Letters*.,43:12569-12577, DOI:10.1002/2016GL071772,

Trubl, G., Solonenko, N., Chittick, L., Solonenko, S.A., Rich, V.I. and Sullivan, M.B., 2016. Optimization of viral resuspension methods for carbon-rich soils along a permafrost thaw gradient. *PeerJ*, 4, p.e1999

Wik, M. (2016). Emission of methane from northern lakes and ponds. PhD Thesis. Department of Geological Sciences. Stockholm University. Meddelanden från Stockholms universitets institution för geologiskavetenskaper No 361.

Wik, M., B.F. Thornton, D. Bastviken, J. Uhlbäck and P.M. Crill (2016). Biased sampling of methane release from northern lakes: a problem for extrapolation. *Geophysical Research Letters* 43, 1256-1262, doi:10.1002/2015GL066501.

Wik M., Varner R.K., Walter-Anthony K., MacIntyre S., and Bastviken D. (2016): Climate-sensitive northern lakes and ponds are critical components of methane release. *Nature Geoscience*, 9:99-105, DOI:10.1038/ngeo2578.

2017

Chaudhary, Nitin (2017). Peatland dynamics in response to past and potential future climate change : A regional modelling approach. PhD Thesis. Department of Physical Geography and Ecosystem Analysis. Lund University. http://lup.lub.lu.se/record/adfb11ee-7719-4337-9d03-4ccd03fbbef5.

Chaudhary, N., P.A. Miller and B. Smith (2017). Modelling Holocene peatland dynamics with an individual-based dynamic vegetation model. *Biogeosciences*, 14: 2571–2596, doi:10.5194/bg-14-2571-2017.

Deng, J., C.K. McCalley, S. Frolking, J. Chanton, P.M. Crill, R. Varner, G. Tyson, V. Rich, M. Hines, S.R. Saleska and C.S. Li (2017). Adding Stable Carbon Isotopes Improves Model Representation of the Role of Microbial Communities in Peatland Methane Cycling. *Journal of Advances in Modeling Earth Systems* doi: 10.1002/2016MS000817.

Fisher, R.E., J.L. France, D. Lowry, M. Lanoisellé, R. Brownlow, J.A. Pyle, M. Cain, N. Warwick, U.M. Skiba, J. Drewer, K.J. Dinsmore, S.R. Leeson, S. J.-B. Bauguitte, A. Wellpott, S.J. O'Shea, G. Allen, M.W. Gallagher, J. Pitt, C.J. Percival, K. Bower, C. George, G.D. Hayman, T. Aalto, A. Lohila, M. Aurela, T. Laurila, P.M. Crill, C.K. McCalley and E.G. Nisbet (2017). Measurement of the ^{13}C isotopic signature of methane emissions from northern European wetlands. *Global Biogeochemical Cycles*, 31, doi: 10.1002/2016GB005504.

Gałka, M., Szal, M., Watson, E. J., Gallego-Sala, A., Amesbury, M. J., Charman, D. J., Roland, T. P., Edward Turner, T., and Swindles, G. T. (2017) Vegetation Succession, Carbon Accumulation and Hydrological Change in Subarctic Peatlands, Abisko, Northern Sweden. *Permafrost and Periglacial Processes*, doi: 10.1002/ppp.1945.

Garnello, A. J. (2017). Establishing the role of digital repeat photography in understanding phenology and carbon cycling in a subarctic peatland. MSc thesis. University of Arizona, Tucson, AZ. Doi: http://repository.arizona.edu/handle/10150/624140

Jammet, M., S. Dengel, E. Kettner, F-J W. Parmentier, M. Wik, P. Crill, and T. Friborg (2017). Year-round CH_4 and CO_2 flux dynamics in two contrasting freshwater ecosystems of the subarctic. *Biogeosciences*, doi 10.5194/bg2016-466.

Keuper, F., E. Dorrepaal, P.M. van Bodegom, R. van Logtestijn, G. Venhuizen, J. van Hal and R. Aerts (2017). Experimentally increased nutrient availability at the permafrost thaw front selectively enhances biomass production of deep-rooting subarctic peatland species. *Global Change Biology*: doi.org/10.1111/gcb.13804

Krüger, J. P., Conen, F., Leifeld, J., and Alewell, C. (2017) Palsa Uplift Identified by Stable Isotope Depth Profiles and Relation of δ15N to C/N Ratio. *Permafrost and Periglacial Processes*, 28: 485–492. doi: 10.1002/ppp.1936.

Meyer-Jacob, C,. R. Bindler, C. Bigler, M.J. Leng, S.E. Lowick and H. Vogel (2017). Regional Holocene climate and landscape changes recorded in the large subarctic lake Torneträsk, N Fennoscandia. *Palaeogeography, Palaeoclimatology, Palaeoecology* 487: 1–14. doi:10.1016/j.palaeo.2017.08.001.

Mondav, R., C.K. McCalley, S.B. Hodgkins, S. Frolking, S.R. Saleska, V.I. Rich, J.P. Chanton and P.M. Crill (2017). Microbial network, phylogenetic diversity and community membership in the active layer across a permafrost thaw gradient. *Environmental Microbiology* doi: 10.1111/1462-2920.13809.

Normand, A. E., A. N. Smith, M. W. Clark, J. R. Long, and K. R. Reddy (2017). Chemical Composition of Soil Organic Matter in a Subarctic Peatland: Influence of Shifting Vegetation Communities. *Soil Science Society of America Journal* 81:41-49. doi:10.2136/sssaj2016.05.0148

Saunois, M, P. Bousquet, and others (2017). Variability and quasi-decadal changes in the methane budget over the period 2000-2012. *Atmospheric Physics and Chemistry* 17: 11135-11161 doi: 10.5194/acp-2017-296.

Wilson, R.M., M.M. Tfaily, V.I. Rich, J.K. Keller, S.D. Bridgham, C. Medvedeff, L. Meredith, P.J. Hanson, M. Hines, L. Pfeifer-Meister, S.R. Saleska, P. Crill, W.T. Cooper, J.P. Chanton, and J.E. Kostka (2017). Hydrogenation of Organic Matter as a Terminal Electron Sink Sustains High CO_2:CH_4 Production Ratios During Anaerobic Decomposition. *Organic Geochemistry*, 112: 22-32, doi: 10.1016/j.orggeochem.2017.06.011.

2018

Boyd, J.A., B.J. Woodcroft and G.W. Tyson (2018). GraftM: a tool for scalable, phylogenetically informed classification of genes within metagenomes. *Nucleic Acids Research*, gky174, doi.org/10.1093/nar/gky174.

Chaudhary, N., Miller, P.A. & Smith, B. (2018). Biotic and Abiotic Drivers of Peatland Growth and Microtopography: A Model Demonstration. *Ecosystems* 21, 1196–1214 https://doi.org/10.1007/s10021-017-0213-1

Emerson, J., S. Roux, J. Brum, B. Bolduc, B. Woodcroft, H.B. Jang, C. Singleton, L. Solden, A. Naas, J.Boyd, S. Hodgkins, R. Wilson, G. Trubl, S. Frolking, C-S Li, P. Pope, K. Wrighton, P. Crill, J. Chanton, S. Saleska, G. Tyson, V. Rich, and M. Sullivan (2018). Host-linked soil viral ecology along a permafrost thaw gradient. *Nature: Microbiology* doi: 10.1038/s41564-018-0190-y.

Daniela Franz, Manuel Acosta, Núria Altimir and 127 others (Yes, I think it's a record) (2018). Towards long-term standardised carbon and greenhouse gas observations for monitoring Europe´s terrestrial ecosystems: a review. *International Agrophysics Journal*, 32; 439-455, doi: 10.1515/intag-2017-0039.

DelGreco, Jessica, (2018). Four Years of Unmanned Aerial System Imagery Reveals Vegetation Change in a Sub-Arctic Mire Due to Permafrost Thaw. University of New Hampshire MSC thesis. 1216. https://scholars.unh.edu/thesis/1216.

Gålfalk, M., M. Karlson, P. Crill, P. Bousquet and D. Bastviken (2018). Technical note: A simple approach for efficient collection of field reference data for calibrating remote sensing mapping of northern wetlands. *Biogeosciences*. doi: 10.5194/bg-2017-445.

Hodgkins, S.B., C. J. Richardson, R. Dommain, H. Wang, P. H. Glaser, B. Verbeke, B. R. Winkler, N. Flanagan, M. Missilmani, M. Ho, A. Hoyt, C. F. Harvey, A.R. Cobb, S. R. Vining, M. A. Hough, F. B. De La Cruz, J. Toufaily, R. Hamdan, W. T. Cooper and J. P. Chanton (2018). Tropical peatland carbon storage linked to global latitudinal trends in peat chemistry. *Nature Communications*, doi: 10.1038/s41467-018-06050-2.

Kuhn, M., E.J. Lundin, R. Giesler, M. Johansson and J. Karlsson (2018). Emissions from thaw ponds largely offset the carbon sink of northern permafrost wetlands. *Scientific Reports* 8: 9535-9542, doi:10.1038/s41598-018-27770-x.

Malhotra, A., T.R. Moore, J. Limpens and N.T. Roulet (2018). Post-thaw variability in litter decomposition best explained by microtopography at an ice-rich permafrost peatland. *Arctic, Antarctic and Alpine Research*, doi: 10.1080/15230430.2017.1415622.

Montagnani L., Grünwald T., Kowalski A., et al., (2018). Estimating the storage term in eddy covariance measurements: the ICOS methodology. *International Agrophysics Journal*, 32: 551-567.

Mzobe, P,. M. Berggren, P. Pilesjo, E. Lundin, D. Olefeldt, N.T. Roulet and A. Persson. (2018). Dissolved organic carbon in streams within a subarctic catchment analysed using a GIS/remote sensing approach. *PLoS ONE* 13(7):e0199608. Doi: 10.1371/journal.pone.0199608.

Nemitz E., Mammarella I., Ibrom A., et al., (2018). Standardisation of eddy-covariance flux measurements of methane and nitrous oxide. *International Agrophysics Journal*, 32: 517-549.

Op de Beeck M., Gielen B., Merbold L., et al., (2018). Soil meteorological measurements at ICOS monitoring stations in terrestrial ecosystems. *International Agrophysics Journal*, 32, 619-631.

Palace, M., C. Herrick, J. DelGreco, D. Finnell, A.J. Garnello, C. McCalley, K. McArthur, F. Sullivan and R.K. Varner (2018). Determining Subarctic Peatland Vegetation Using an Unmanned Aerial System (UAS). *Remote Sensing*, 10, 1498, doi:10.3390/rs10091498

Pavelka, M., M. Acosta, R, Kiese and 25 others (2018). Standardisation of chamber technique for CO2, N2O and CH4 fluxes measurements from terrestrial ecosystems. *Int. Agrophys. International Agrophysics Journal*, 2018, 32, 569-587, doi: 10.1515/intag-2017-0045.

Pokrovsky, O.S., J. Karlsson and R. Giesler (2018). Freeze-thaw cycles of Arctic thaw ponds remove colloidal metals and generate low-molecular-weight organic matter. *Biogeochemistry* 137:321–336, doi: 10.1007/s10533-018-0421-6.

Rebmann C., Aubinet M., Schmid H.P., et al., (2018). ICOS eddy covariance flux-station site setup. *International Agrophysics Journal*, 32: 471-494.

Sabbatini S., Mammarella I., Arriga N., et al., (2018). Eddy covariance raw data processing for CO2 and energy fluxes calculation at ICOS ecosystem stations. *International Agrophysics Journal*, 32: 495-515.

Saunders M., Dengel S., Kolari P., et al., (2018). Assessing the impacts of site characteristics, management, disturbance and lateral fluxes on greenhouse gas dynamics. *International Agrophysics Journal*, 32; 457-469.

Siewert, M.B. (2018). High-resolution digital mapping of soil organic carbon in permafrost terrain using machine learning: a case study in a sub-Arctic peatland environment. *Biogeosciences*, 15: 1663–1682, doi: 10.5194/bg-15-1663-2018.

Singleton, C. (2018). Microbial community structural and metabolic dynamics in thawing permafrost. PhD thesis, School of Chemistry and Molecular Biosciences, University of Queensland, Australia doi: 10.14264/uql.2018.815

Singleton, C., C. McCalley, B. Woodcroft, J. Boyd, P. Evans, S. Hodgkins, J. Chanton, S. Frolking, P. Crill, S. Saleska, V. Rich and G. Tyson. (2018). Methanotrophy across a natural permafrost thaw environment. *International Society of Microbial Ecology Journal*, doi: 10.1038/s41396-018-0065-5.

Tang, J., A.Y. Yurova , G. Schurgers, P.A.Miller, S. Olin, B. Smith, M.B. Siewert, D. Olefeldt, P. Pilesjö and A. Poska (2018). Drivers of dissolved organic carbon export in a subarctic catchment: Importance of microbial decomposition, sorption-desorption, peatland and lateral flow. *Science of the Total Environment* 622: 260–274. Doi: 10.1016/j.scitotenv.2017.11.252

Trubl, G. (2018). Pioneering Soil Viromics to Elucidate Viral Impacts on Soil Ecosystem Services. Ph.D. thesis, Department of Microbiology, The Ohio State University, Columbus, OH, USA.

Trubl, G, Jang HB, Roux S, Emerson JB, Solonenko N, Vik DR, Solden L, Ellenbogen J, Runyon AT, Bolduc B, Woodcroft BJ, Saleska SR, Tyson GW, Wrighton KC, Sullivan MB, Rich VI. (2018). Soil viruses are underexplored players in ecosystem carbon processing. *mSystems*, 3:e00076-18. Doi: 10.1128/mSystems.00076-18.

Wik, M, J.E. Johnson, P.M. Crill, J.P. DeStasio, L. Erickson, M.J. Halloran, M.F. Fahnestock, M.K. Crawford, S.C. Phillips and R.K. Varner (2018). Sediment characteristics and methane ebullition in three subarctic lakes, *Journal of Geophysical Research: Biogeosciences*, doi: 10.1002/2017JG004298

Wilson, R. M., and M.M. Tfaily. (2018). Advanced molecular techniques provide new rigorous tools for characterizing organic matter quality in complex systems. *Journal of Geophysical Research: Biogeosciences*, 123, 1790–1795. https://doi.org/10.1029/2018JG004525

Woodcroft, B.J, C.M. Singleton, J.A. Boyd, P.N. Evans, R.D. Hoelzle, T.O. Lamberton, C.K. McCalley, S.B. Hodgkins, R.M. Wilson, C-S Li, S. Frolking, J.P. Chanton, P.M. Crill, S.R. Saleska, V.I. Rich, G.W. Tyson (2018). Genome-centric view of carbon processing in thawing permafrost. *Nature*, doi 10.1038/s41586-018-0338-1.

2019

Bayer, T. K., Gustafsson, E.,Brakebusch, M., & Beer, C. (2019).Future carbon emission from boreal and permafrost lakes are sensitive to catchment organic carbon loads. *Journal of Geophysical Research: Biogeosciences*, 124. doi.org: 10.1029/2018JG004978

Boyd, J. (2019). Development of meta omic tools to explore microbial carbon cycling PhD thesis, School of Chemistry and Molecular Biosciences, University of Queensland, Australia doi: 10.14264/uql.2020.747

Burke, S.A., M. Wik, A. Lang, A. R. Contosta, M. Palace, P. Crill and R. K. Varner (2019). Long term measurements of methane ebullition from thaw ponds. *Journal of Geophysical Research: Biogeosciences*, doi. 10.1029/2018JG004786.

Chang, K.-Y., W.J. Riley, E.L. Brodie, C.K. McCalley, P.M. Crill and R.F. Grant (2019). Methane production pathway regulated proximally by substrate availability and distally by temperature in a high-latitude mire complex. *Journal of Geophysical Research: Biogeosciences*, doi: 10.1029/2019JG005355.

Chang, K-Y, W.J. Riley, P.M. Crill, R.F. Grant, V.I. Rich and S.R. Saleska (2019). Large carbon cycle sensitivities to climate across a permafrost thaw gradient in subarctic Sweden. *The Cryosphere*, 13: 647-663, doi: 10.5194/tc-13-1-2019.

Cooper, C.L., G.T. Swindles, E.J. Watson, I.P. Savov, M. Gałka, A. Gallego-Sala and W. Borken (2019). Evaluating tephrochronology in the permafrost peatlands of northern Sweden. *Quaternary Geochronology* 50: 16-28, doi: 10.1016/j.quageo.2018.11.001.

Evans, P. N., Boyd, J. A., Leu, A. O., Woodcroft, B. J., Parks, D. H., Hugenholtz, P., & Tyson, G. W. (2019). An evolving view of methane metabolism in the Archaea. *Nature Reviews Microbiology*, 17, 219–232. https://doi.org/10.1038/s41579-018-0136-7

Fahnestock, M.F:, J.G Bryce, C.K. McCalley, M. Montesdeoca, S. Bai, Y. Li, C.T. Driscoll, P.M Crill, V.I. Rich and R.K. Varner (2019). Mercury reallocation in thawing subarctic peatlands. *Geochemical Perspectives Letters* 11, 33-38 doi: 10.7185/geochemlet.1922.

Jansen, J., B.F. Thornton, M.M. Jammet, M. Wik, A. Cortés, T. Friborg, S. MacIntyre and P.M. Crill (2019). Climate-sensitive controls on large spring emissions of CH4 and CO2 from northern lakes. *Journal of Geophysical Research: Biogeosciences*, doi: 10.1029/2019JG005094

Harder, S. (2019). Variations in carbon dioxide and energy fluxes in a subarctic peatland with thawing permafrost. PhD thesis, Department of Geography, McGill University, Canada https://escholarship.mcgill.ca/concern/theses/sq87bz69g

Hyppölä. R. (2019). Response of permafrost peatlands to past and recent warming: case studies from Swedish Lapland. MSc Thesis. Faculty of Biological and Environmental Sciences, University of Helsinki, Finland. http://hdl.handle.net/10138/310628.

Karlson, M..M. Gålfalk, P. Crill, P. Bousquet, M. Saunois and D. Bastviken (2019). Delineating northern peatlands using Sentinel-1 time series and terrain indices from local and regional digital elevation models. *Remote Sensing of the Environment* 231: doi: RSE-D-18-01314R2.

Martinez, M.A., B.J. Woodcroft, J.C. Ignacio Espinoza, A.A. Zayed, C.M. Singleton, J.A. Boyd, Y.F. Li, S. Purvine, H. Maughan, S.B. Hodgkins, D. Anderson, M. Sederholm, B. Temperton, B. Bolduc, IsoGenie Project Coordinators, S.R. Saleska, G.W. Tyson, V.I. Rich (2019). Discovery and ecogenomic context of a global Caldiserica-related phylum active in thawing permafrost, *Candidatus* Cryosericota phylum nov., *Ca*. Cryosericia class nov., *Ca*. Cryosericales ord. nov., *Ca*. Cryosericaceae fam. nov., comprising the four species Cryosericum septentrionale gen. nov. sp. nov., *Ca*. C. hinesii sp. nov., *Ca*. C. odellii sp. nov., *Ca*. C. terrychapinii sp. nov. *Systematic and Applied Microbiology*, 42: 54–66, doi: 10.1016/j.syapm.2018.12.003.

Palace, M., C. Herrick, J. DelGreco, R. Varner, D. Finnell and A.J. Garnello (2019). Unmanned Aerial Imagery over Stordalen Mire, Northern Sweden, 2014, Dataset V.1, *Harvard Dataverse*, https://doi.org/10.7910/DVN/SJKV4T

Tfaily, M. M., Wilson, R. M., Brewer, H. M., Chu, R. K., Heyman, H. M., Hoyt, D. W., Kyle, J. E., & Purvine, S. O. (2019). Single-throughput complementary high-resolution analytical techniques for characterizing complex natural organic matter mixtures. *Journal of Visualized Experiments*, 143. https://doi.org/10.3791/59035

Trubl G, S. Roux.,N. Solonenko, Y-F Li, B Bolduc, J Rodríguez-Ramos, EA Eloe-Fadrosh, VI Rich and MB Sullivan (2019). Towards optimized viral metagenomes for double-stranded and single-stranded DNA viruses from challenging soils. *PeerJ* 7:e7265, doi: 10.7717/peerj.7265.

Wilson RM, Neumann RB, Crossen KB, Raab NM, Hodgkins SB, Saleska SR, Bolduc B, Woodcroft BJ, Tyson GW, Chanton JP and Rich VI (2019) Microbial Community Analyses Inform Geochemical Reaction Network Models for Predicting Pathways of Greenhouse Gas Production. *Frontiers of Earth Science* 7:59. doi:10.3389/feart.2019.00059

2020

AminiTabrizi R, Wilson RM, Fudyma JD, Hodgkins SB, Heyman HM, Rich VI, Saleska SR, Chanton JP and Tfaily MM (2020). Controls on Soil Organic Matter Degradation and Subsequent Greenhouse Gas Emissions Across a Permafrost Thaw Gradient in Northern Sweden. *Frontiers of Earth Science* 8:557961.doi: 10.3389/feart.2020.557961

Bolduc B, Hodgkins SB, Varner RK, Crill PM, McCalley CK, Chanton JP, Tyson GW, Riley WJ, Palace M, Duhaime MB, Hough MA, Saleska SR, Sullivan MB, Rich VI. (2020). The IsoGenie database: an interdisciplinary data management solution for ecosystems biology and environmental research. PeerJ 8:: 9467, doi: 10.7717/peerj.9467

Boyd, J. A. (2020). Development of meta omic tools to explore microbial carbon cycling. PhD Thesis. The University of Queensland, Brisbane, QLD, Australia. https://doi.org/10.14264/uql.2020.747

Burke, S. (2020). Investigating the spatial and temporal scale variability of ebullitive flux from a subarctic thaw pond system. PhD Dissertation. University of New Hampshire, Durham, NH. https://scholars.unh.edu/dissertation/2499

Chadburn, S. E., Aalto, T., Aurela, M., Baldocchi, D., Biasi, C., Boike, J., E, Comyn-Platt, A. J. Dolman, C. Duran-Rojas, Y. Fan, T. Friborg, Y. Gao, N. Gedney, M. Göckede, G.D. Hayman, D. Holl, G. Hugelius, L. Kutzbach, H. Lee, A Lohila, F.-J. W. Parmentier, T. Sachs, N.J. Shurpali and S. Westermann (2020). Modeled microbial dynamics explain the apparent temperature sensitivity of wetland methane emissions. Global Biogeochemical Cycles, 34, e2020GB006678. doi: 10.1029/2020GB006678

Chang, K.-Y., Riley, W. J., Crill, P. M., Grant, R. F., and Saleska, S. R. (2020) Hysteretic temperature sensitivity of wetland CH4 fluxes explained by substrate availability and microbial activity, *Biogeosciences*, 17, 5849–5860, doi:10.5194/bg-17-5849-2020.

Douglas, P.M.J., R.G. Moguel, K.M. Walter Anthony, M. Wik, P.M. Crill, K.S. Dawson, D.A. Smith, E. Yanay, M.K. Lloyd, D.A. Stolper, J.M. Eiler and A.L. Sessions (2020). Clumped isotopes link older carbon substrates with slower rates of methanogenesis in northern lakes. *Geophysical Research Letters* doi: 10.1029/2019GL086756.

Hough, M. A. (2020). Tracing the new carbon cycle from plant inputs to microbial outputs across an arctic permafrost thaw gradient. PhD Dissertation. University of Arizona, Tucson, AZ. Doi; https://repository.arizona.edu/handle/10150/641681

Hough M, McClure A, Bolduc B, Dorrepaal E, Saleska S, Klepac-Ceraj V and Rich V (2020). Biotic and Environmental Drivers of Plant Microbiomes Across a Permafrost Thaw Gradient. *Frontiers in Microbiology* 11:796. doi: 10.3389/fmicb.2020.00796

Jansen, J. (2020). Carbon trace gas dynamics in subarctic lakes. PhD Thesis. Department of Geological Sciences. Stockholm University. Meddelanden från Stockholms universitets institution för geologiskavetenskaper No 379.

Jansen, J., Thornton, B. F., Cortes, A., Snöälv, J., Wik, M., MacIntyre, S., and Crill, P. M. (2020). Drivers of diffusive lake CH4 emissions on daily to multi-year time scales, *Biogeosciences*, 17, 1911–1932, doi: 10.5194/bg-17-1911-2020

Jansen, J., M. Wik, B.F. Thornton, S. MacIntyre and P.M. Crill (2020). Temperature proxies as a solution to biased sampling of lake methane emissions. *Geophysical Research Letters* doi: 10.1029/2020GL088647

Kuhry, P., Báarta, J., Blok, D., Elberling, B., Faucherre, S, Hugelius, G.. Jørgensen, C.J., Richter, A., Šantrůčková, H. and Weiss, (2020). Lability classification of soil organic matter in the northern permafrost region}, *Biogeosciences* 17: 361--379, DOI: 10.5194/bg-17-361-2020.

Levy, P., J. Drewer, M. Jammet, S. Leeson, T. Friborg, U. Skiba and M. van Oijen (2020). Inference of spatial heterogeneity in surface fluxes from eddy covariance data: A case study from a subarctic mire ecosystem. *Agriculture and Forest Meteorology* 280, doi: 10.1016/j.agrformet.2019.107783

Mzobe, P., Y. Yan, M. Berggren, P. Pilesjö, D. Olefeldt, E. Lundin,N. T. Roulet, and A. Persson (2020). Morphometric control ondissolved organic carbon in subarcticstreams. *Journal of GeophysicalResearch: Biogeosciences*, 125, doi: 10.1029/2019JG005348

Patzner, M.S., C.W. Mueller, M. Malusova, M. Baur, V, Nikeleit, J.M. Byrne, A. Kappler and C. Bryce (2020). Iron mineral dissolution releases iron and associated organic carbon during permafrost thaw. *Nature Communications* 11, doi: 10.1038/s41467-020-20102-6

Payandi-Rolland, D,, L. Shirokova, M.Tesfa, P. Bénézeth, A.G. Lim, D. Kuzmin, J. Karlsson, R.Giesler and O.S. Pokrovsky (2020). Dissolved organic matter biodegradation along a hydrological continuum in permafrost peatlands. *Science of the Total Environment*, 749, 141463, doi: 10.1016/j.scitotenv.2020.141463

Perryman, C.R., C.K. McCalley, A. Malhotra, M.F. Fahnestock, N.N. Kashi, J.G. Bryce. R. Giesler and R.K. Varner (2020). Thaw Transitions and Redox Conditions Drive Methane Oxidation in a Permafrost Peatland. *Journal of Geophysical Research: Biogeosciences*, doi: 10.1029/2019JG005526.

Seco, R., T. Holst, M.S. Matzen, A. Westergaard-Nielsen, T. Li, T. Simin, J. Jansen, P. Crill, T. Friborg, J. Rinne and R, Rinnan (2020). Volatile Organic Compound fluxes in a subarctic peatland and lake. *Atmospheric Chemistry and Physics*, doi 10.5194/acp-20-13399-2020.

Thanh Duc, N., Silverstein, S., Wik, M., Crill, P., Bastviken, D., and Varner, R. K. (2020). Technical note: Greenhouse gas flux studies: an automated online system for gas emission measurements in aquatic environments, *Hydrology and Earth System Science*, 24, 3417–3430, doi: 10.5194/hess-24-3417-2020.

Wik, M., B.F. Thornton, R.K. Varner, C. McCalley and P.M. Crill (2020). Stable methane isotopologues from northern lakes suggest ebullition is dominated by sub-lake scale processes. *Journal of Geophysical Research: Biogeosciences,* doi. 10.1029/2019JG005601.

2021

Brouillette, M. (2021). How microbes in permafrost could trigger a massive carbon bomb. News Feature. *Nature* 591, 360-362. doi: 10.1038/d41586-021-00659-y

Crill P, M, Wik, J. Jansen (2021). Temperatures in subarctic lakes on the Stordalen Mire, Abisko, Northern Sweden. Dataset version 4.0. Bolin Centre Database. https://doi.org/10.17043/stordalen-lake-temperature-4

Emerson, J.B., R.K. Varner, M. Wik, D.H. Parks, R.B. Neumann, J.E. Johnson, C.M. Singleton, B.J. Woodcroft, R. Tollerson II, A. Owusu-Dommey, M. Binder, N.L. Freitas, P. M. Crill, S.R. Saleska, G.W. Tyson and V.I. Rich (2021). Diverse sediment microbiota shape methane emission temperature sensitivity in Arctic lakes. *Nature Communications* 12, 5815. doi: 10.1038/s41467-021-25983-9

Hough, M.A., S. McCabe, S.R. Vining, E.P. Pedersen, R.M. Wilson, R. Lawrence, K.-Y. Chang, G.l. Bohrer, The IsoGenie Coordinators, W. Riley, P. Crill, R.K. Varner, S.J. Blazewicz, E. Dorrepaal, M.M. Tfaily, S.R. Saleska and V. Rich (2021). Coupling plant litter quantity to a novel metric for litter quality explains C storage changes in a thawing permafrost peatland. *Global Change Biology* DOI: 10.1111/gcb.15970

Łakomiec P, J Holst, T Friborg, P Crill, N Rakos, N Kljun, P-O Olsson, L Eklundh, and J Rinne (2021). Field-scale CH4 emission at a sub-arctic mire with heterogeneous permafrost thaw status. *Biogeosciences*. 18, 5811–5830, doi: 10.5194/bg-18-5811-2021.

Marttila, Heli, (2021). Isolation and characterization of viruses infecting Acidobacteria from Arctic soil. MSc Thesis. University of Helsinki, Faculty of Agriculture and Forestry, http://hdl.handle.net/10138/337924-

Olid, C., Zannella, A., & Lau, D. C. P. (2021). The role of methane transport from the active layer in sustaining methane emissions and food chains in subarctic ponds. *J. of Geophysical Research: Biogeosciences*, 126, e2020JG005810. https://doi.org/10.1029/2020JG005810

Sim, TG, GT Swindles, PJ Morris, AJ Baird, CL Cooper, AV Gallego-Sala, DJ Charman, TP Roland, W Borken, DJ Mullan, MA Aquino-López and M Gałka (2021). Divergent responses of permafrost peatlands to recent climate change. *Environmental Research Letters*. 16, https://doi.org/10.1088/1748-9326/abe00b

Wilson RM, Zayed AA, Crossen KB, Woodcroft B, Tfaily MM, Emerson J, Raab N, Hodgkins SB, Verbeke B, Tyson G, Crill P, Saleska S, Chanton JP, Rich VI, IsoGenie Project Coordinators, IsoGenie Project Field Team (2021). Functional capacities of microbial communities to carry out large scale geochemical processes are maintained during *ex situ* anaerobic incubation. *PLoS ONE* 16(2): e0245857. doi: 10.1371/journal.pone.0245857

Zinke, L. A., Evans, P. N., Santos-Medellín, C., Schroeder, A. L., Parks, D. H., Varner, R. K., Rich, V. I., Tyson, G. W., and Emerson, J. B. (2021). Evidence for non-methanogenic metabolisms in globally distributed archaeal clades basal to the *Methanomassiliicoccales*. *Environmental Microbiology*, 23, 340–357. https://doi.org/10.1111/1462-2920.15316

2022

Burke, Sophia A.; Varner, Ruth; Rich, Virginia; and EMERGE 2021 Field Team, (2022). EMERGE Institute Field Safety & Logistics Handbook. *Earth Systems Research Center*. 218.

https://scholars.unh.edu/ersc/218

Chiappelli, F. and J. Penhaskashi (2022) Permafrost Immunity. editorial. *Bioinformation* 18: 734-738. Doi: 10.6026/97320630018734

Cory AB, Chanton JP, Spencer RGM, Ogles OC, Rich VI, McCalley CK, IsoGenie Project Coordinators, EMERGE 2021 Field Team and Wilsonet RM. (2022). Quantifying the inhibitory impact of soluble phenolics on anaerobic carbon mineralization in a thawing permafrost peatland. *PLoS ONE* 17(2): e0252743. https://doi.org/10.1371/journal.pone.0252743

de la Barreda-Bautista, B.; Boyd, D.S.; Ledger, M.; Siewert, M.B.; Chandler, C.; Bradley, A.V.; Gee, D.; Large, D.J.; Olofsson, J.; Sowter, A.; Sjögersten, S. (2022). Towards a Monitoring Approach for Understanding Permafrost Degradation and Linked Subsidence in Arctic Peatlands. *Remote Sens.* 14; 444. https://doi.org/10.3390/rs14030444

DelGreco, Jessica; Palace, Michael W; Herrick, Christina; Varner, Ruth K (2022). "Uncrewed Aerial Imagery over Stordalen Mire, Northern Sweden, 2017", *Harvard Dataverse,* https://doi.org/10.7910/DVN/NZWLHE, V1

Fahnestock, M. F. (2022). Compound, elemental, and isotopic perspectives on mercury mobilization during thaw in a discontinuous permafrost zone (Doctoral Dissertation). University of New Hampshire, Durham, NH. Retrieved from https://scholars.unh.edu/dissertation/2669

Fofana, A., Anderson, D., McCalley, C.K., Hodgkins, S., Wilson, R.M., Cronin, D., Raab, N., Torabi, M., Varner, R.K., Crill, P., Saleska, S., Chanton, J.P., Tfaily, M., Rich, V. (2022). Mapping substrate use across a permafrost thaw gradient. *Soil Biology and Biochemistry* (2022), doi: https:// doi.org/10.1016/j.soilbio.2022.108809.

Holmes, M. E., P. M. Crill , W. C. Burnett , C. K. McCalley , R. M. Wilson , S. Frolking, K.-Y. Chang, W. J. Riley, R. K. Varner, S. B. Hodgkins, IsoGenie Project Coordinators, IsoGenie Field Team, V. I. Rich, S. R. Saleska, J. P. Chanton. (2022). Carbon accumulation, flux, and fate in Stordalen Mire, a permafrost peatland in transition. *Global Biogeochemical Cycles*, 36, e2021GB007113. https://doi. org/10.1029/2021GB007113

Palace, Michael W; DelGreco, Jessica; McArthur, Kellen; Herrick, Christina; Varner, Ruth K, (2022), "Uncrewed Aerial Imagery over Stordalen Mire, Northern Sweden, 2015", *Harvard Dataverse*, V1, https://doi.org/10.7910/DVN/NUXE30

Palace, Michael W; Herrick, Christina; Varner, Ruth K, (2022), "Uncrewed Aerial Imagery over Stordalen Mire, Northern Sweden, 2016", *Harvard Dataverse*, V1, https://doi.org/10.7910/DVN/IAXSRD

Patzner, M.S., N. Kainz, E. Lundin, M. Barczok, C. Smith, E. Herndon, L. Kinsman-Costello, S. Fischer, D. Straub, S, Kleindienst, A. Kappler and C. Bryce. (2022). Seasonal Fluctuations in Iron Cycling in Thawing Permafrost Peatlands. *Environmental Science & Technology*, 56: 4620-4631 DOI: 10.1021/acs.est.1c06937.

Seco, R,. T. Holst, C.L. Davie-Martin and R. Rinnan (2022) Strong isoprene emission response to temperature in tundra vegetation. *Proceedings of the National Academy of Sciences* (*PNAS)* 119 10.1073/pnas.2118014119

Smith, N. D., Burke, E. J., Schanke Aas, K., Althuizen, I. H. J., Boike, J., Christiansen, C. T., Etzelmüller, B., Friborg, T., Lee, H., Rumbold, H., Turton, R. H., Westermann, S., and

Chadburn, S. E. (2022) Explicitly modelling microtopography in permafrost landscapes in a land surface model (JULES vn5.4_microtopography), *Geosci. Model Dev.*, 15, 3603–3639, https://doi.org/10.5194/gmd-15-3603-2022.

Varner RK, PM Crill, S Frolking, CK McCalley, SA Burke, JP Chanton, ME Holmes, Isogenie Project Coordinators, S Saleska and MW Palace (2021). Permafrost thaw driven changes in hydrology and vegetation cover increase trace gas emissions and climate forcing in Stordalen Mire from 1970-2014. *Philosophical Transactions of the Royal Society A*. 380: 20210022. https://doi.org/10.1098/rsta.2021.0022

Wilson, R.M., M.A. Hough, B.A. Verbeke, S.B. Hodgkins, G. Tyson, M.B. Sullivan, E. Brodie, W.J. Riley, B. Woodcroft, C. McCalley, S.C. Dominguez, P.M. Crill, R.K. Varner, S. Frolking, W.T. Cooper, J.P. Chanton, S.D. Saleska, V.I. Rich and M.M. Tfaily, (2022). Plant organic matter inputs exert a strong control on soil organic matter decomposition in a thawing permafrost peatland, *Science of The Total Environment*, 820, https://doi.org/10.1016/j.scitotenv.2021.152757.

Woodcroft, B. submitted by U Queensland (2022) **EM**ergent **E**cosystem **R**esponse to Chan**GE** Biology Integration Institute and **IsoGenie**: Stordalen Mire. US NIH, National Center for Biotechnology Information. Umbrella project (Accession: PRJNA888099 ID: 888099) https://www.ncbi.nlm.nih.gov/bioproject/PRJNA888099/

2023

Auda, Y.; Lundin, E.J.; Gustafsson, J.; Pokrovsky, O.S.; Cazaurang, S.; Orgogozo, L. (2023). A New Land Cover Map of Two Watersheds under Long-Term Environmental Monitoring in the Swedish Arctic Using Sentinel-2 Data. *Water*, 15, 3311. https://doi.org/10.3390/w15183311

Danilova, O.V., I.Y. Oshkin, S.E. Belova , K.K. Miroshnikov, A.A. Ivanova and S.N. Dedysh (2023) One Step Closer to Enigmatic USC Methanotrophs: Isolation of a *Methylocapsa*-like Bacterium from a Subarctic Soil. *Microorganisms*, 11, 2800; doi: 10.3390/microorganisms11112800

Ellenbogen, J.B., M.A. Borton, B.B. McGivern, D.R. Cronin, D.W. Hoyt, V. Freire-Zapata, C.K. McCalley, R.K. Varner, P.M. Crill, R.A. Wehr, J.P. Chanton, B.J. Woodcroft, M.M. Tfaily, G.W. Tyson, V.I. Rich and K.C. Wrighton (2023). Methylotrophy in the Mire: direct and indirect routes for methane production in thawing permafrost. *mSystems*, DOI: https://doi.org/10.1128/msystems.00698-23

Jansson, J.K., and R. Wu (2023). Soil viral diversity, ecology and climate change. *Nat Rev Microbiol* 21, 296–311. https://doi.org/10.1038/s41579-022-00811-z

Ji, M., X. Fan, C.R. Cornell, Y. Zhang, M.M. Yuan, Z. Tian, K. Sun, R. Gao, Y. Liu and J Zhou (2023). Tundra Soil Viruses Mediate Responses of Microbial Communities to Climate Warming. mBio 14, https://doi.org/10.1128/mbio.03009-22

Kashi, N.N., E.A.Hobbie, R.K. Varner, A.S. Wymore, J.G. Ernakovich and R. Giesler (2023). Nutrients Alter Methane Production and Oxidation in a Thawing Permafrost Mire. *Ecosystems* 26, 302–317. https://doi.org/10.1007/s10021-022-00758-5

Langlois, V.; Girard, C.; Vincent, W.F.; Culley, A.I. (2023) A Tale of Two Seasons: Distinct Seasonal Viral Communities in a Thermokarst Lake. *Microorganisms*, 11, 428. https://doi.org/10.3390/microorganisms11020428

Ogles, O. C. (2023). Temperature response of methane and carbon dioxide production in arctic fen peat and comparison to seasonal rates of measured methane emission. Ph.D. Dissertation, Florida State Univ. Available from ProQuest One Academic. (2869146938). Retrieved from https://ezp.sub.su.se/login?url=https://www.proquest.com/dissertations-theses/temperature-response-methane-carbon-dioxide/docview/2869146938/se-2

Patzner, M.S. (2023), Microbial iron cycling in permafrost peatlands affected by global warming - Impact on carbon mobilization and greenhouse gas emissions. PhD Thesis. Department of Geosciences, Eberhard-Karls-University Tübingen, Germany. doi: http://dx.doi.org/10.15496/publikation-62452

Smith, C.E. (2023). Exploring Microbial Phosphorus Accessibility in Response to Changing Iron Mineralogy and Redox Conditions. Ph.D. Thesis. Dept. of Biological Sciences, Kent State Univ. http://rave.ohiolink.edu/etdc/view?acc_num=kent1700321631798529

Sjögersten, S., Ledger, M., Siewert, M., de la Barreda-Bautista, B., Sowter, A., Gee, D., Foody, G., and Boyd, D. S. (2023). Optical and radar Earth observation data for upscaling methane emissions linked to permafrost degradation in sub-Arctic peatlands in northern Sweden, *Biogeosciences*, 20, 4221–4239, https://doi.org/10.5194/bg-20-4221-2023

Szetela, J. (2023). Into the mire: A floristic and ecology informed field guide of Stordalen Mire. M.S. thesis. U Arizona. Available from ProQuest One Academic. (2854313196). www.proquest.com/dissertations-theses/into-mire-floristic-ecology-informed-field-guide/docview/2854313196/se-2

Trubl, G., Roux, S., Borton, M. A., Varsani, A., Li, Y.-F., Sun, C., Jang, H. B., Woodcroft, B. J., Tyson, G. W., Wrighton, K. C., Saleska, S. R., Eloe-Fadrosh, E. A., Sullivan, M. B., & Rich, V. I. (2023). Population ecology and potential biogeochemical impacts of ssDNA and dsDNA soil viruses along a permafrost thaw gradient. *bioRxiv*, 2023.06.13.544858. https://doi.org/10.1101/2023.06.13.544858Is

2024

Barczok, M., Smith, C., Kinsman-Costello, L., Patzner, M., Bryce, C., Kappler, A., Singer,, D. & Herndon, E. (2024). Iron transformation mediates phosphate retention across a permafrost thaw gradient. *Commun Earth Environ* 5, 635. https://doi.org/10.1038/s43247-024-01810-z

Chaput, G. and M. Sogin (2024). Talented microbes unlatch peatland carbon. *Nat Microbiol*. https://doi.org/10.1038/s41564-024-01711-z

Cilento, B. (2024), Quantifying Landscape Change Using Different Spectrometers, Spectral Unmixing, and UAS Imagery. M.Sc. thesis. Rochester Institute of Technology. https://repository.rit.edu/theses/11741

Freire Zapata V, Holland-Moritz H, Cronin DR, Aroney S, Smith DA, Wilson RM, Ernakovich JG, Woodcroft BJ, Bagby SC, EMERGE 2012 Field Team, EMERGE Coordinators, Rich VI, Sullivan MB, Stegen JC, Tfaily MM. (2024) Microbiome-metabolite linkages drive greenhouse gas dynamics over a permafrost thaw gradient. *Nature Microbiology*. https://doi.org/10.1038/s41564-024-01800-z

Li, Y.-F., R. Mondav, Isogenie Project Coordinators (S. Saleska, P, Crill, J. Chanton, S. Frolking, C.-S. Li, V. Rich), V. Rich (2024). Modified Nucleic Acid Extraction Protocol for Humic-Rich Permafrost Peat Samples. *protocols.io*, doi: 10.17504/protocols.io.yxmvm244bg3p/v1

Li, Z., R.F Grant, K-Y Chang, S.B Hodgkins, J. Tang, A. Cory, Z.A Mekonnen, S.R Salesk, E.L Brodie, R.K Varner, V.I Rich, R.M Wilson, J.P Chanton, P. Crill and W.J Riley (2024). Soil incubation methods lead to large differences in inferred methane production temperature sensitivity. *Environmental Research Letters*. 19 044069 doi: 10.1088/1748-9326/ad3565

Kuhn MA, Varner RK, McCalley C, Perryman CR, Aurela M, Burke SA, Chanton J, Crill P, DelGreco J, Deng J, Heffernan L, Herrick C, Hodgkins SB, Jones CP, Juutinen S, Kane E, Lamit LJ, Larmola T, Lilleskov E, Olefeldt D, Palace MW, Rich V, Schulze C, Shorter JH, Sullivan F, Sonnentag O, Turetsky MR, Waldrop MP. (2024). Controls on Stable Methane Isotope Values in Northern Peatlands and Potential Shifts in Values Under Permafrost Thaw Scenarios. *Journal of Geophysical Research - Biogeosciences*. https://doi.org/10.1029/2023JG007837

McGivern, B.B., D.R. Cronin, J.B. Ellenbogen, M.A. Borton, E.L. Knutson, V. Freire-Zapata, J.A. Bouranis, L. Bernhardt, A.I. Hernandez, R.M. Flynn, R. Woyda, A.B. Cory, R.M. Wilson, J.P. Chanton, B.J. Woodcroft, J.G. Ernakovich, M.M. Tfaily, M.B. Sullivan, G.W. Tyson, V.I. Rich, A.E. Hagerman & K.C. Wrighton (2024). Microbial polyphenol metabolism is part of the thawing permafrost carbon cycle. *Nature Microbiology*, https://doi.org/10.1038/s41564-024-01691-0.

Rinnan, R. (2024). Volatile Organic Compound Emissions in the Changing Arctic. *Annu. Rev. Ecol. Evol. Syst*. 55:227–49. https://doi.org/10.1146/annurev-ecolsys-102722-125156

Sears, Helen B. (2024). Examining Relationships Between Methane Emissions and Aquatic Vegetation in Arctic Lakes Using Remote Sensing Techniques and Field Measurements. MSc thesis, University of New Hampshire. 1847. https://scholars.unh.edu/thesis/1847

Sun CL, Pratama AA, Gazitúa MC, Cronin D, McGivern BB, Wainaina JM, Vik DR, Zayed AA, Bolduc B, IsoGenie Project Field Teams 2010-2017, the IsoGenie and EMERGE Projects Coordinators, Wrighton KC, Rich VI, Sullivan MB. (2024). Virus ecology and 7-year temporal dynamics across a permafrost thaw gradient. *Environmental Microbiology*. 26: e16665. DOI: 10.1111/1462-2920.16665

Taghavi-Bayat A, T Ullmann, B Riedela and M Gerke (2024). Detecting soil freeze-thaw dynamics with C-band SAR over permafrost in Northern Sweden and seasonally frozen grounds in the Tibetan Plateau, China. *International Journal of Remote Sensing*. 45 (16): 5317–5358. https://doi.org/10.1080/01431161.2024.2372079

2025

Burke, Sophia; Palace, Michael; Herrick, Christina; Sullivan, Franklin; Varner, Ruth. (2025). "Uncrewed Aerial Imagery over Stordalen Mire, Northern Sweden, 2021", *Harvard Dataverse*, V1, https://doi.org/10.7910/DVN/QR7LMC

Cory, A.B., R.M. Wilson, M.E. Holmes, W.J. Riley, Y.-F. Li, M.M.Tfaily, S.C. Bagby, Isogenie Field Team, EMERGE Project Coordinators, P.M. Crill, J.G. Ernakovich, V.I. Rich & J.P. Chanton (2025). A climatically significant abiotic mechanism driving carbon loss and nitrogen limitation in peat bogs. *Scientific Reports* 15, 2560. https://doi.org/10.1038/s41598-025-85928-w

Li, Z, W.J. Riley, G.L. Marschmann, U. Karaoz, I.A. Shirley, Q. Wu, N.J. Bouskill, K.-Y. Chang, P.M. Crill, R.F. Grant, E. King, S.R. Saleska, M.B. Sullivan, J. Tang, R.K. Varner, B.J. Woodcroft, K.C. Wrighton, EMERGE Project Coordinators and E.L. Brodie (2025). A framework for integrating genomics, microbial traits, and ecosystem biogeochemistry. *Nature Communications* 16:2186. https://doi.org/10.1038/s41467-025-57386-5

Palace, Michael; Herrick, Christina; Sullivan, Franklin, (2025). "Uncrewed Aerial Imagery over Stordalen Mire, Northern Sweden, 2018", *Harvard Dataverse*, V1, https://doi.org/10.7910/DVN/2JXWVW

Palace, Michael; Herrick, Christina; Varner, Ruth; Sullivan, Franklin, (2025). "Uncrewed Aerial Imagery over Stordalen Mire, Northern Sweden, 2019", *Harvard Dataverse*, V1, https://doi.org/10.7910/DVN/HXC8HK

Palace, Michael; Herrick, Christina; Sullivan, Franklin; Varner, Ruth, (2025). "Uncrewed Aerial Imagery over Stordalen Mire, Northern Sweden, 2022", *Harvard Dataverse*, V1, https://doi.org/10.7910/DVN/G9Y8WC

Palace, Michael; Herrick, Christina; Sullivan, Franklin; Sears, Helen; Varner, Ruth, (2025). "Uncrewed Aerial Imagery over Stordalen Mire, Northern Sweden, 2023", Harvard Dataverse, V1, https://doi.org/10.7910/DVN/LMKIMT

Palace, Michael; Herrick, Christina; Sullivan, Franklin; Wilcox, Marlo; Varner, Ruth, (2025). "Uncrewed Aerial Imagery over Stordalen Mire, Northern Sweden, 2024", *Harvard Dataverse*, V1, https://doi.org/10.7910/DVN/QPHQEW